

quadro



Product Sheet

QUADRO is designed with elegance and prestige in mind. With its recessed reveal, QUADRO creates a picture frame effect highlighting your office space like a work of art. Quadro can be entirely customizable on either the corridor or the office side. Mix and match and have fun with the widest array of finishes including, anodized, powder coat, wood veneer, brushed, and polished finishes.

Extrusions



Glazing and Panels:

Single and double glazing
Third top hung center decorative panel
Glass thickness: 1/2" and 3/8"
Tempered, laminated, low iron (extra clear), and specialty glass

Profile:

Stick built
Profile dimensions:

- Top extrusion: W3-1/2" x H2-3/8"
- Top extrusion with decorative snap on W4-1 1/16" x H2-3/8"
- Bottom extrusion: W3" x H1-9/16"

Same extrusion for offset and double glazing
Aluminum
Applied mullions available
Aluminum and wood flyby available

Doors:

Framed

- Standard Muraflex single glazed pivot door
- Standard Muraflex double glazed pivot door
- Standard Muraflex single glazed sliding door

Wood

- Pivot door
- Sliding door

Standard door hardware

- Lever or ladder pull
- Locking or non-locking
- Drop seal available on framed doors and wood sliding door
- Hold open available on all swing doors
- Soft open/close available on all sliding doors

Maximum door height: 10'

Tolerance:

Total of 3/4"

Junctions:

Available in polycarbonate
Glass to glass, corner (L), and T condition

Gaskets:

Door: available in black, white, and clear
Wall: available in black, white, and grey

Ceiling Condition:

Can be installed on a bulk ceiling, acoustical tiles (ACT), or as a free-standing system
Maximum height of 10'

Acoustical properties:

Single glazed STC assembly score ranges estimated at (depending on options): 34 - 38
Double glazed STC assembly score ranges estimated at (depending on options): 43 - 46
Double glazed with top hung center decorative panel estimated at 43+

Integrated electrical components:

High and low voltage wiring
Integrated electrical components including room scheduler, card reader, and electrical strike available
Panic hardware available

Lead times:

12-14 weeks
16+ weeks on custom system



Sustainability

At Muraflex, we are dedicated to diminishing our impact on the environment. We are also committed to continually improving our procedures in terms of product development, supply, packaging and distribution in an effort to minimize our environmental footprint.



Declare.





The Finishes

Black Anodized G2	Architectural Bronze Anodized G2	Medium Bronze Anodized G2	Champagne Anodized G2	Clear Anodized G1	Polished Anodized G3
Black Powder Coat G2	Charcoal Powder Coat G2	Grey Powder Coat G2	Champagne Powder Coat G2	White Powder Coat G2	Custom Powder Coat G2
	Brushed Black Anodized G3	Brushed Clear Anodized G3	Wenge T2 Wood Veneer G4	Walnut T2 Wood Veneer G4	White Oak T2 Wood Veneer G4

Due to variances in screen calibration or print quality, finish images may not accurately represent the actual color sample.