
OCO Product Sheet

Encourage collaboration and the exchange of ideas in an architecturally discreet space with a superior level of acoustic privacy. ARCO is a freestanding pod that offers great visual transparency and whose geometrical disposition helps to reduce the noise disturbance often found in the open floor plan workspace. ARCO is designed to be easily disassembled and repositioned to offer the most flexibility for the ever-changing, fast-paced work environment.



Sizes





Glazing and Panels:

- Single glazing
- Glass thickness: ½" and ¾"
- Tempered, laminated, low iron (extra clear), and specialty glass

Gaskets:

• Wall: available in black, white, and grey

Tolerance:

Shims for leveling

Junctions:

• Available in polycarbonate

Ceiling Condition:

- Freestanding system
- Maximum height of 8'

Acoustical properties:

 Single glazed STC assembly score ranges estimated at: 29 - 32

Integrated electrical components:

- Plug & Play
- High and low voltage wiring
- Integrated electrical components including room scheduler, card reader, and electrical strike available

Profile:


- Profile dimensions for single glazed top and bottom extrusion: W1" x H2-3/8"
- Aluminum

Lead times:

- 10-12 weeks
- 12+ weeks on custom system

muraflex


OCO Sustainability & Finishes



Sustainability

At Muraflex, we are dedicated to diminishing our impact on the environment. We are also committed to continually improving our procedures in terms of product development, supply, packaging and distribution in an effort to minimize our environmental footprint.





Due to variances in screen calibration or print quality, finish images may not accurately represent the actual color sample.

