Product Sheet

QUADRO is designed with elegance and prestige in mind. With its recessed reveal, QUADRO creates a picture frame effect highlighting your office space like a work of art. Quadro can be entirely customizable on either the corridor or the office side. Mix and match and have fun with the widest array of finishes including, anodized, powder coat, wood veneer, brushed, and polished finishes.



Extrusions



muraflex

quadro

Glazing and Panels:

- Single and double glazing
- Third top hung center decorative panel
- Glass thickness: ½" and ¾"
- Tempered, laminated, low iron (extra clear), and specialty glass

Tolerance:

Ceiling Condition:

Can be installed on a bulk ceiling, acoustical

Total of 3/4"

Junctions:

- Available in polycarbonate
- Glass to glass, corner condition (L) and T condition

Gaskets:

- Door: available in black, white, and clear
- Wall: available in black, white, and grey
- tiles (ACT), or as a free-standing system Maximum height of 10'

Acoustical properties:

Single glazed STC assembly score ranges estimated at (depending on options): 34 - 38

 Double glazed STC assembly score ranges estimated at (depending on options): 43 – 45

Integrated electrical components:

- High and low voltage wiring
- Integrated electrical components including room scheduler, card reader, and electrical strike available
- Panic hardware available

Lead times:

- 10-12 weeks
- 12+ weeks on custom system

Doors:

Framed

- Standard Muraflex single pivot door
- Standard Muraflex double glazed pivot door
- Standard Muraflex single sliding door
- Standard Muraflex double glazed sliding door

Wood

- Pivot door
- Sliding door

Standard door hardware

- Lever or ladder pull
- Locking or non-locking
- Drop seal available on framed doors and wood sliding door
- Hold open available on all swing doors
- Soft open/close available on all sliding doors

Maximum door height: 10'

Profile:

Stick built

Profile dimensions:

- Top extrusion: W3-1/2" x H2-3/8"
- Top extrusion with decorative snap on W4-11/16" x H2-3/8"
- Bottom extrusion: W3" x H1-9/16" Same extrusion for offset and double glazing

Aluminum

- Applied mullions available
- Aluminum and wood flyby available


quadro

Sustainability & Finishes



Sustainability

At Muraflex, we are dedicated to diminishing our impact on the environment. We are also committed to continually improving our procedures in terms of product development, supply, packaging and distribution in an effort to minimize our environmental footprint.



Due to variances in screen calibration or print quality, finish images may not accurately represent the actual color sample.

muraflex

G2